

Retail Pricing  
Pricing subject to change without notice.

### Audio/Video Solutions - Power Filter (Line Noise, Surge & Spike Protection)

Many products may have EMI/RFI noise rejection, but it is typically limited to just the incoming utility line. Power Filters take it a step further and have additional isolation circuitry to prevent the spread of electrical noise that might be generated by the connected equipment itself.

Model	Description
G55TAB1	MGE Galaxy 5500 Empty Battery Cabinet 710 mm
G55TBATL7A	Galaxy 5500 Battery Module Cabinet L700A

### Audio/Video Solutions - Power Conditioners (Surge & Spike Protection, Voltage Regulation)

AVR - Automatic Voltage Regulation

Automatically steps up low voltage and steps down high voltage to levels that are suitable for your equipment preventing premature failure and lock-ups

Model	Description
H10BLK	<p>H Type Rack Mount Power Conditioner (2 RU, 12 Outlet, 10' Cord, 120V/15A)</p> <ul style="list-style-type: none"> <li>- Primary Functions: Surge &amp; Spike Protection, Noise Filtering, Automatic Voltage Regulation</li> <li>- Capacity: 1000 Watts / 1000 VA</li> <li>- Status Indicator LED's - Provides a quick visual indication of your unit's status</li> <li>- Phone Line Splitter - Allows use of two pieces of equipment at once, such as a modem and phone</li> <li>- Protection Working Indicator - SurgeArrest will warn you if its circuitry has been damaged by heavy strike or power line surge and it is unable to provide 100% protection</li> <li>- Overload Indicator - Indicator illuminates when connected equipment draws more power than unit's capacity</li> <li>- Building Wiring Fault Indicator, Automatic Voltage Regulation</li> <li>- Includes Coax Protection</li> </ul>

### Audio/Video Solutions - Power Filter (Line Noise, Surge & Spike Protection)

Many products may have EMI/RFI noise rejection, but it is typically limited to just the incoming utility line. Power Filters take it a step further and have additional isolation circuitry to prevent the spread of electrical noise that might be generated by the connected equipment itself.

Model	Description
C2 Order SKU #C2/APC	<p>C Type Wall Mount Power Filter (2 Outlet, 2' Cord, 120V)</p> <ul style="list-style-type: none"> <li>- Primary Functions: Surge &amp; Spike Protection, Noise Filtering</li> <li>- Protection from damaging power transients</li> <li>- Let through voltage rating:</li> </ul>
C20B	APC AV C Type 8 Outlet Power Filter, 120V
C25B	APC AV C Type 10 Outlet Power Saving Power Filter, 120V
G5BLK	<p>G Type Rack Mount Power Filter &amp; Sequencer (1 RU, 9 Outlet, 8' Cord, 120V/15A)</p> <ul style="list-style-type: none"> <li>- Primary Functions: Surge &amp; Spike Protection, Noise Filtering, Sequencer</li> <li>- 1x Front Outlet, 2x Always On, 1x Switched, 5x Delayed (1-60 seconds, 4 delay banks - 1:1:2:1)</li> <li>- Protection from damaging power transients</li> <li>- Let through voltage rating:</li> </ul>

Pricing subject to change without notice.

Model	Description
G50B-20A2	G Type Rack Mount Power Filter & Sequencer (1 RU, 9 Outlet, 8' Cord, 120V/20A) <ul style="list-style-type: none"> <li>- Primary Functions: Surge &amp; Spike Protection, Noise Filtering, Sequencer</li> <li>- 1x Front Outlet, 2x Always On, 1x Switched, 5x Delayed (1-60 seconds, 4 delay banks - 1:1:2:1)</li> <li>- Removable, Rechargeable &amp; Magnetic LED Flashlight</li> <li>- Protection from damaging power transients</li> <li>- Let through voltage rating:</li> </ul>

### Security and Environmental - NetBotz 400

Model	Description
NBWL0456A	NetBotz Room Monitor 455 (with 120/240V PoE Injector)

### Audio/Video Solutions - Power Conditioners (Surge & Spike Protection, Voltage Regulation)

AVR - Automatic Voltage Regulation

Automatically steps up low voltage and steps down high voltage to levels that are suitable for your equipment preventing premature failure and lock-ups

Model	Description
H15BLK	H Type Rack Mount Power Conditioner (2 RU, 12 Outlet, 10' Cord, 120V/15A) <ul style="list-style-type: none"> <li>- Primary Functions: Surge &amp; Spike Protection, Noise Filtering, Automatic Voltage Regulation</li> <li>- Capacity: 1440 Watts / 1440 VA</li> <li>- Status Indicator LED's - Provides a quick visual indication of your unit's status</li> <li>- Phone Line Splitter - Allows use of two pieces of equipment at once, such as a modem and phone</li> <li>- Protection Working Indicator - SurgeArrest will warn you if its circuitry has been damaged by heavy strike or power line surge and it is unable to provide 100% protection</li> <li>- Overload Indicator - Indicator illuminates when connected equipment draws more power than unit's capacity</li> <li>- Building Wiring Fault Indicator, Automatic Voltage Regulation</li> <li>- Includes Coax Protection, Coax Splitter</li> </ul>

### Audio/Video Solutions - UPS Accessories

Model	Description
SBATTBLK	S Type - Extended battery Pack (Black) <ul style="list-style-type: none"> <li>- Disconnected battery notification - warns when a battery is not available to provide backup power</li> <li>- Temperature-compensated battery charging - Prolongs battery life by regulating the charge voltage according to battery temperature</li> <li>- Scalable runtime - Allows additional run time to be quickly added as needed</li> </ul>
SRAILKIT	S Type Universal Rail Kit <ul style="list-style-type: none"> <li>- Fits four post racks with depths ranging from 20" to 28"</li> <li>- All necessary mounting hardware is included</li> </ul>
RBC63	Replacement Battery Cartridge #63

Pricing subject to change without notice.

### UPS - Smart-UPS SC

Model	Description
SC450RM1U	Smart-UPS SC Series 280 W / 450 VA (1 RU / Tower) - Output: (4) NEMA 5-15R - Voltage Input: 120V, Output: 120V - Interface: RS-232 - Runtime @ 150 Watt load: 18 min - Runtime @ 280 Watt load: 6 min
SMT1000RM2UC	APC Smart-UPS 1000VA LCD RM 2U 120V with SmartConnect
SMT1500RM2UC	APC Smart-UPS 1500VA LCD RM 2U 120V with SmartConnect

### Battery Systems - Replacement Batteries

Model	Description
RBC43	APC Replacement Battery Cartridge #43
APCRBC124	APC Replacement Battery Cartridge #124
APCRBC132	APC Replacement Battery Cartridge #132
APCRBC133	APC Replacement Battery Cartridge #133

### Audio/Video Solutions - Essential AV Surge Protectors

Model	Description
P8U2	APC Home Office SurgeArrest 8 Outlets with 2 USB charging ports (5V, 2.4A in total), 120V

### Cooling Solutions - EcoBreeze Air Economizers

Model	Description
BE850G2	Back-UPS 850VA, 2 USB charging ports
BX1000M	Back UPS Pro BX 1000VA, 8 Outlets, AVR, LCD interface

### UPS - Back-UPS RS

Model	Description
BX1350M	Back UPS Pro BX 1350VA, 10 Outlets, AVR, LCD interface

### Cooling Solutions - EcoBreeze Air Economizers

Model	Description
BX1500M	Back UPS Pro BX 1500VA, 10 Outlets, AVR, LCD interface
BX850M	Back UPS Pro BX 850VA, 8 Outlets, AVR, LCD interface

### Audio/Video Solutions - AV Pro Interconnects

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)

Pricing subject to change without notice.

Model	Description
SWBNDL10R	StruxureWare for Data Centers 10 Rack Bundle

### Cooling Solutions - NetworkAIR PA

Model	Description
AP7301	Rack PDU, Basic, 30A, 200-240V, (14)C13 & (2)C19

### Networking and Cable Solutions - Network Patch Cables

Model	Description
3827GY-1	APC CAT 5 UTP 568B PATCH CABLE, GREY, RJ45 MALE TO RJ45 MALE, 4 PAIR, 24 AWG, STRANDED, PVC, 1 FT
3827GY-14	APC CAT 5 UTP 568B PATCH CABLE, GREY, RJ45 MALE TO RJ45 MALE, 4 PAIR, 24 AWG, STRANDED, PVC, 14 FT
3827GY-3	APC CAT 5 UTP 568B PATCH CABLE, GREY, RJ45 MALE TO RJ45 MALE, 4 PAIR, 24 AWG, STRANDED, PVC, 3 FT

### APC - IT Products

Model	Description
AR8213	NetShelter WX Fan Module

### Power Distribution - Basic Rack PDU

Model	Description
AP7526X900	Rack PDU, Basic, 1U, 22kW, 400V, (13) C13 Outlets
AP7556X900	Rack PDU, Basic, 1U, 14.5kW, (13) C13 Outlets
AP7562	Rack PDU, Basic, Zero U, 5.7kW, 120V, (42)5-20

### APC - IT Products

Model	Description
PH8W	APC Home Office SurgeArrest 8 Outlets, 120V White
P8	APC Performance SurgeArrest 8 Outlet 120V

### Racks and Accessories - Mounting Hardware

Model	Description
AR7701-S	NetShelter SX High Seismic Region Bolt-Down Kit

### Racks and Accessories - NetShelter SX Enclosures

Model	Description
AR3100G	NetShelter SX 42U 600mm Wide x 1070mm Deep Enclosure with Sides Grey RAL7035

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)

Pricing subject to change without notice.

Model	Description
AR3350WX610	NetShelter SX 42U 750mm Wide x 1200mm Deep Enclosure with Sides and No Doors, SE White.

### Surge Protection and Power Conditioning - PowerManager

Model	Description
PZ62B	APC Power Strip 6 Outlet 2 Foot Cord 120V Black

### Surge Protection and Power Conditioning - ProtectNet

Model	Description
PTL2	APC PROTECTNET TELECOM 2 LINE

### Surge Protection and Power Conditioning - SurgeArrest Essential

Model	Description
P7T10	Basic Surge 7 Outlet w/Tel 10 Ft Cord 120V

### Surge Protection and Power Conditioning - SurgeArrest Home/Office

Model	Description
P8VT3	APC Home/Office SurgeArrest 8 Outlets with tel2/splitter and coax jacks, 120V

### UPS - Smart-UPS

Model	Description
SUA3000R2IX38	APC Smart UPS 3000VA 230V RM 2U with UL Approval

### UPS - Smart-UPS RT

Model	Description
SURT3000XLIX554	APC Smart-UPS RT 3000VA 230V

### UPS - Smart-UPS SC

Model	Description
SMT1500R2-NMC	APC Smart-UPS 1500 LCD RM 120V with bundled network management card (NMC)
SMC1500C	APC Smart-UPS C 1500VA LCD 120V with SmartConnect

### Power Distribution - Switched Rack PDU

Model	Description
AP8965X911	Rack PDU 2G, Switched, ZeroU, 8.6kW, 208V, (34) C13, (6) C19, (8) 5-20R

### Racks and Accessories - Custom



by Schneider Electric



Pricing subject to change without notice.

Model	Description
AR3357X697	NetShelter SX 52U 750mm Wide x 1200mm Deep Enclosure Without Sides Black
AR3180G	NetShelter SX 42U 800mm Wide x 1070mm Deep Enclosure with Sides Grey RAL7035
AR3380G	NetShelter SX 42U 800mm Wide x 1200mm Deep Enclosure with Sides Grey RAL7035

### UPS - Smart-UPS SC

Model	Description
SCL500RM1UNC	APC Smart-UPS C Lithium Ion, Short Depth 500VA, 120V with Network Management Card